





THE BIRDS
OF
SOUTH AMERICA.

VOL. II. (Plates.)

9QL
689
ALBEX
v. 2
Birds

Brabourne

Brabourne, Wyndham Wentworth Knatchbull-Hegarty, 2d Baron
The Birds of South America
1895-1915.
ILLUSTRATIONS

OF THE

GAME BIRDS AND WATER FOWL


OF

SOUTH AMERICA.

BY

H. GRÖNVOLD.

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.
1917.



PUBLISHER'S NOTE.

The series of plates included in the present volume were originally intended to illustrate the second and third volumes of the "Birds of South America," of which only the first vol, comprising "A List of the Birds of South America," was published. This work as projected by the late Lord Brabourne, in conjunction with Mr. Chubb, was to have comprised 16 vols, with 400 hand-coloured plates. The first volume mentioned above had only appeared, however, when further progress was delayed by Lord Brabourne's last visit to South America, while his return to the Army when War broke out, and his subsequent death at Neuve-Chapelle in 1915, put an abrupt stop to the work. So little text had then been completed, and the work as projected was so extensive and costly, that nothing could be done in the way of completing even a second volume, but feeling that the fine series of plates already finished by Mr. Grönvold (and partly printed) merited publication, I made arrangements to issue them in the present way, and I have added short notes on most of the species as compensation for the absence of any other text.

H. KIRKE SWANN.

London, Dec. 1916.

DESCRIPTION OF PLATES.

Plate No.	Issued in Part.	No. in List.	
1	I.	1, 2, 3	Rhea americana, R. rothschildi, R. pennata (American Rhea, Rothschild's Rhea and Darwin's Rhea). The Rheas are flightless birds of very large size, measuring from four to five feet in height, with small and imperfect wings, long legs and small feet ; represented in Africa by the Ostriches and in Australia by the Emus, but most nearly allied to the latter, having three toes on the foot instead of two as in the former. The American Rhea is the E. Brazilian species, Rothschild's Rhea, the common Rhea, is the sub-species (the <i>R. Americana</i> of previous authors), inhabiting Uruguay, Argentina, etc., and Darwin's Rhea is the Rhea of Patagonia and Chili. All frequent open country, never wooded districts, and are found in parties of three or four to twenty or thirty. When hunted by horsemen, who employ the <i>bolas</i> , or thong and balls, they travel at a great speed, using the wings only to steer with. The flesh of young birds is excellent but the old are never eaten. Where not molested they will frequent the neighbourhood of the <i>estancias</i> . Several females lay in one nest, a depression in the ground, each laying a dozen or more eggs, so that a great number are sometimes found.
2	I.	5	Tinamus solitarius (Solitary Tinamou). The Tinamous, a remarkable group, have no very near affinity to any other family. Superficially they resemble the Partridges, and are so called by the Spaniards, while the flesh is most delicate eating. They are essentially ground birds and swift runners, non-perching and non-gregarious ; in size small, ranging from that of a Quail to that of a common fowl ; some 70 species in all are found in South America. The flight is heavy, noisy and short, but very rapid ; the food is insects chiefly, also fruit, seeds and grain. The male alone incubates. Nest : a hollow in the ground lined with leaves. Eggs : always clear unspotted and highly polished, in colour turquoise, deep green, purple, yellow, reddish, or chocolate brown according to the species. The Solitary Tinamou inhabits Paraguay and S.E. Brazil.
3	I.	45	Rhynchotus rufescens (Great Tinamou). Inhabits S.E. Brazil, Paraguay, Uruguay and Argentina. Known on the pampas of Argentina as <i>Perdiz grande</i> , or Great Partridge. It is about 14-in. in length. The <i>Perdiz comun</i> or Common Partridge is the Spotted Tinamou (<i>Nothura maculosa</i>).
4	I.	69, 70	Taoniscus nanus (Dwarf Tinamou) ; Calopezus elegans (Martinetta Tinamou). The Dwarf Tinamou inhabits Brazil and Paraguay. The Martinetta says Hudson (the word Tinamou, by the way, is never used except by naturalists for any of these birds) is a fine game bird of Patagonia, south of the Rio Colorado, inhabiting the elevated tablelands chiefly where patches of dwarf scrub occur among the thorny thickets. It also occurs in W. Argentina.
5	I.	72	Tinamotis pentlandi (Pentland's Tinamou). Inhabits the upland valleys of the mountain ranges from North Chili to Ecuador.
6	I.	96	Penelope obscura (Dark Guan). The Curassows and Guans, comprising the Gallinaceous family <i>Cracidae</i> , form one of the most characteristic groups of the larger birds inhabiting the South American forests. They number some fifty species, all essentially arboreal in habits, frequenting dense woods and generally building a large nest in trees, the eggs being white or merely speckled. The present species has a wide range, viz. : Uruguay, S.E. Brazil, Bolivia and N. Argentina. The other fifteen species of <i>Penelope</i> are confined to the more tropical parts of S. America.

Plate No.	Issued in Part.	No. in List	
7	I.	98	Penelope jacquaca (Crested Guan). This species is the <i>Pavo de Monte</i> , or Wood Turkey of the Spaniards. It is found in Uppe Amazonia, Ecuador, Peru and Bolivia.
8	I.	99	Penelope pileata (Red-breasted Guan). Inhabits N.E. Brazil.
9	I.	107, 115	Ortalida ruficauda (Red-tailed Guan). <i>O. erythroptera</i> (Red-winged Guan). Beebe found the Red-tailed Guan associating with domestic fowls in Venezuela, and mentions the belief (held also elsewhere) that they inter-breed, producing fine game cocks, but no such hybrids could be produced. The Red-winged Guan is found both in Venezuela and Ecuador.
10	II.	119	Cumana jacutinga (Spix's White-headed Guan). a native of S.E. Brazil and Paraguay.
11	I.	121	Aburria aburri (Wattled Guan). Found in Columbia and Ecuador.
12	I.	122	Chamæpetes goudotii (Goudot's Guan). Inhabits Colombia, Ecuador and Peru.
13	I.	132	Odontophorus capueira (Capoeira Partridge). This species inhabits S.E. Brazil. All the other members of the genus are confined to Western Tropical America. Gould, who has admirably figured and described the birds of this group in his Monograph of the Odontophorinæ, calls them the "Partridges of America." Newton considered them closely allied to the Old World Quails. About 14 species occur in S. America, together with 6 species of the allied genus <i>Eupsychortyx</i> or "Crested Quails."
14	I.	144	Columba corensis (Bare-faced Pigeon). The Pigeons and Doves of South America are very numerous, and comprise nearly 70 species. The habits of many are akin to those of their Old World congenora, but in several genera such as <i>Geotrygon</i> , the Ground-Doves, they are of course much modified. The Bare-faced Pigeon is a native of Venezuela.
15	I.	145, 176	Columba picazuro (Picazuro Pigeon); <i>Columbina grisea</i> (Grey Ground-Dove). The Picazuro Pigeon inhabits Brazil, Paraguay, Uruguay and is the common wood-pigeon of Argentina. In appearance and habits it resembles its European namesake, the Ring Dove or Wood Pigeon. The Grey Ground-Dove inhabits Brazil, Guiana, Venezuela and Columbia.
16	I.	148, 151	Columba maculosa (Spot-Winged Pigeon); <i>C. sylvestris</i> (Paraguayan Rufous Pigeon). The Spot-Winged Pigeon has a wide range extending from Peru to Argentina. It resembles the Picazuro Pigeon but may be at once distinguished, says Mr. Hudson, by its spotted back and wings. The Paraguayan Rufous Pigeon is found in S. Brazil as well as Paraguay.
17	III.	154, 206	Columba albilinea (White-naped Pigeon); <i>Geotrygon bourcierii</i> (Bourcier's Ground-Dove). As indicated above two species of Pigeons of widely dissimilar appearance and habits are depicted on this plate. The first-named ranges from Columbia and Guiana to Peru and Bolivia, while the second inhabits W. Columbia and W. Ecuador.
18	IV.	155	Columba araucana (Chilian Pigeon). Inhabits Chile, and is known as "Torcaza."

- | Plate No. | Issued In Part. | No. in List. | |
|-----------|-----------------|--------------|--|
| 19 | I. | 162, 179 | Zenaida auriculata (Violet-eared Dove); <i>Chamæpelia talpacoti</i> (Talpacoti Ground Dove). The Violet-eared Dove, or "Tortolita" which inhabits the greater part of S. America, has an affinity to the European Turtle Dove. The Talpacoti Ground-Dove, a pretty chocolate-coloured dove breeds, says White, in the orange groves in the province of Salta, Argentina; it ranges northward through Brazil, Bolivia and Peru to Venezuela and Guiana. |
| 20 | I. | 195, 196 | Leptoptila chloroauchenia (Green-naped Dove); <i>L. callauchen</i> (Salvadori's Dove). Both these species are found in Argentina and Paraguay. The Green-naped Dove, a handsome species, is an inhabitant of wooded districts, but a ground feeder, and of solitary habits. The bird is said to utter a single melodious note. |
| 21 | II. | 221, 251 | Pardirallus rytirhynchus (Black Rail): <i>Creciscus viridis</i> (Cayenne Crake). The Rails and Crakes of South America are very numerous, some fifty species being known to science. The Black Rail, a species hardly larger than our English Water-Rail, is found, says Hudson, throughout La Plata, everywhere where reeds and rushes grow. It has a wide range covering nearly all the southern half of S. America. The Cayenne Crake inhabits Colombia, Guiana and Brazil. |
| 22 | IV. | 231 | Aramides chiricote (Azara's Wood-Rail). A native of Paraguay and Brazil. |
| 23 | II. | 232 | Aramides ypecaha (Ypecaha Wood-Rail). The Spaniards, says Hudson, call this species <i>Gallineta</i> , from its supposed resemblance to a fowl. It is a large species, measuring some 19-in. in length, and frequents the reed-beds, etc., and where not persecuted will come out of the reeds by day, even entering the villages. It is pugnacious and will attack the domestic poultry. An excellent account of this bird's habits is given in Hudson and Sclater's Argentine Ornithology (II., pp. 151-54). It also inhabits S. Brazil and Paraguay. |
| 24 | I. | 263 | Fulica gigantea (Gigantic Coot). Six species of Coot inhabit S. America, of which three are common on the pampas of Argentina and Patagonia and are generally widely distributed. The present large species and one other are found in Bolivia, Peru and N. Chili; while the Horned Coot is confined to Bolivia and N.W. Argentina. |
| 25 | I. | 274 | Podiceps major (Great Grebe). The Grebes of S. American number 9 species. They differ little from their European congenora. The present species is about the size of our Great Crested Grebe, and is found from Peru and Bolivia to the Straits of Magellan. |
| 26 | IV. | 344, 345 | Larus cirrhocephalus (Grey-headed Gull): <i>L. maculipennis</i> (Spotted-winged Gull). The S. American Gulls and Terns are numerous, some 37 species being known, of which several are cosmopolitan species included also in the British avifauna. The Grey-headed Gull ranges no further north than S.E. Brazil and Peru nor further south than Argentina. It retains its pearl-grey hood throughout the year, although it lightens in the winter. The Spotted-winged Gull is found from S. Brazil to Patagonia and Chili, and is called <i>Gaviota</i> . It breeds on inland marshes, and its eggs are delicate eating, resembling those of the Plover in taste and appearance. |

- | Plate No. | Issued in Part. | No. in List. | |
|-----------|-----------------|--------------|---|
| 27 | III. | 359, 360 | Thinocorus orbignyianus (D'Orbigny's Seed-Snipe); T. rumicivorus (Common Seed-Snipe). Speaking of the Common Seed-Snipe, Hudson says "This curious bird has the grey upper plumage and narrow long sharply pointed wings of a Snipe, with the plump body and short strong curved beak of a Partridge." It feeds on seeds (mainly clover seeds), and tender buds and leaves. It is about $6\frac{1}{2}$ inches in length, and inhabits Tierra del Fuego, Chili and Patagonia, ranging north to the pampas of Argentina and also Peru and Bolivia in winter. D'Orbigny's Seed-Snipe has a very similar range. |
| 28 | IV. | 366 | Hæmatopus durnfordi (Durnford's Oyster-catcher). Like its European congener this striking bird frequents the sea-coast of Patagonia where it is met with it pairs, or sometimes small flocks. Four other species occur, and the Plover family is in fact well represented in S. America by some 65 species, of which no less than 17 are on the British list, these including the Turnstone, Grey Plover, Spotted Sandpiper, Ruff, Sanderling, Knot, Grey Phalarope and other familiar species. |
| 29 | V. | 371-2-3 | Belonopterus cayennensis , B. grisescens , B. chilensis (Cayenne Lapwing, Argentine Lapwing, Chilian Lapwing). The first of these species occurs in Guiana, Colombia, Venezuela and Brazil, the second from Paraguay and Uruguay to Argentina, the third in Peru, Chile and the Falkland Islands. The Cayenne Lapwing much resembles the Old World Lapwing both in appearance, habits and nesting, but is considerably larger, measuring about 13-in. in length. It is a bird of the pampas and is known as <i>Teru-teru</i> from its cry. |
| 30 | V. | 384, 385 | Charadrius occidentalis (Western Plover): C. falklandicus (Falkland Island Plover). The Western Plover has been recorded only from the province of Tarapaca, N. Chile. The Falkland Island Plover has a wider range than its name indicates, extending to Chile, Argentina, and Uruguay. The nest, says Gibson, is always placed near the water and is a slight scraping in the ground, lined with dry grass; eggs 3, spotted with black on an olive ground. |
| 31 | V. | 418 | Gullinago gigantea (Giant Snipe). This fine species inhabits Brazil, Paraguay, Uruguay and Argentina. Nine other species of Snipe occur in S. America. |
| 32 | VI. | 430 | Burhinus bistriatus (Double-striped Thick-knee) A Native of Colombia, Venezuela and Brazil. It has much of the appearance and habits of the English Thick-knee or Stone Curlew. |
| 33 | III. | 439-40 | Psophia ochroptera (Ochre-winged Trumpeter): P. viridis (Green-winged Trumpeter). Six species of Trumpeter are found in S. America; of the two figured the first inhabits the Rio Negro region of N. Brazil, and the second the Rio Madeira region of Central Brazil. |
| 34 | VI. | 457 | Ajaia ajaja (Roseate Spoonbill). This fine species which occurs over S. America as far south as the Rio Negro in Argentina is usually seen, says Hudson, on the pampas in small flocks of 6 to 20, which all feed together, wading to the knees and sweeping their long flat beaks from side to side as they advance. This family comes between the Ibises, of which 13 species are found in S. America, and the Herons, of which 29 species occur, besides 3 species of Storks, There are also the Screamers, three in number, and 4 kinds of Flamingoes. |

Plate No.	Issued in Part.	No. in List.	
35	VI.	457	Ajaia ajaja juv. (Roseate Spoonbill, young)
36	III.	501, 505-6	Chloephaga melanoptera (Andean Goose), <i>C. rubidiceps</i> (Falkland Island Goose): <i>C. poliocephala</i> (Ashy-headed Goose). In this fine plate Mr. Grönvold has depicted three out of six species of this fine genus of Geese, all which occur at the Straits of Magellan, 4 being found in the Falkland Islands, two migrating north to Argentina in winter, and one, the Andean Goose, inhabiting the high Andes from the Straits of Magellan to Chile, Peru and Bolivia, descending to the plains in winter. Two species of Swan, the Black-necked and the Coscoroba occur throughout the southern half of S. America, and the <i>Anatidæ</i> are further represented by 43 species including Teal, Pintails, Shovelers, Wigeon, Pochards, Lake Ducks, Spurwinged Ducks, and Merganser.
37	II.	507	Dendrocygna viduata (White-faced Tree-Duck) The Tree-Ducks, three in number, are widely distributed over S. America, the present species being found southward to Argentina. Hudson says it utters three long clear whistling notes. The common "Pato silva" or Whistling Duck of Argentina is however the Fulvous Tree-Duck (<i>Dendrocygna fulva</i>).
38	V.	515	Mareca sibilatrix (Chiloe Wigeon). This species says Hudson, is most abundant on the pampas of Buenos Ayres and Argentina; it is resident and usually seen in small flocks of 12 to 20, but sometimes as many as 100 to 200.

Printed by
GEO. R. FLOWER,
"The Bartholomew Press"
12-14, Verulam Street
London, E.C.

Part. I. Containing 19 Hand-Coloured Plates. £2 2s. net.

ILLUSTRATIONS TO
THE BIRDS
OF
SOUTH AMERICA.
BY
H. GRÖNVOLD.

*A Series of original and authoritative plates,
illustrating typical species, intended to accompany
"The Birds of South America," Vol. I. (List),
by LORD BRABOURNE and CHARLES CHUBB,
issued in 1913.*

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.



NOTE.

The further delays in the publication of Vol. 2. of this work occasioned by the intervention of the war and the death of the late Lord Brabourne at the front have made it impossible to complete the Text for vol. 2. The publishers however feel that the fine series of plates executed by Mr. Grönvold for the work will possess a sufficient value to the subscribers to merit their publication without any further text than is to be found in Vol. I. already issued (21s *net*). A first series of 19 plates is therefore offered herewith. A further series, including also the missing Nos. in the present series, are already printed or on the stones and it is expected will be ready very shortly. Only 200 sets of each part will be issued.

October, 1915.



1. *Rhea americana*.
American Rhea.

2. *Rhea pennata*.
Darwin's Rhea.

3. *Rhea rothschildi*
Rothschild's Rhea



Tinamus solitarius.
Solitary Tinamou.

Painted by J. A. Rehn



Rhynchotus rufescens.
Great Tinamou.





1. *Calopexus elegans*.
Martinella tinamou.
2. *Taoniscus nanus*.
Dwarf tinamou.



Tinamotis pentlandi.
Pentland's Tinamou.



Penelope obscura.
Dark Guan.



Penelope jacquacu
Crested Guan.



Penelope pileata.
Red-breasted Guan.



1. *Ortalida ruficauda*.

Red-tailed Guan.

2. *Ortalida erythroptera*.

Red-winged Guan.



Aburria aburri
Wattled Guan.



Chamaepetes goudotii.
Goudot's Guan.



Odontophorus capueira.
Capoeira Partridge



Columba corensis.
Bare-faced Pigeon.



1. *Columbina grisea*.
Grey Ground-Dove.
2. *Columba picazuro*.
Picazuro Pigeon.



1. *Columba sylvestris*.
Paraguayan Rufous Pigeon.

2. *Columba maculosa*.
Spot-Winged Pigeon.



1. *Zenaida auriculata*. 2. *Chamepelia talpacoti*.
Violet-eared Dove. Talpacoti Ground Dove.



1. *Leptoptila chloroauchenia*. 2. *Leptoptila callauchen*.
Green-naped Dove. Salvadori's Dove.



Fulica gigantea.
Gigantic Coot.

1000



Podiceps major.
Great Grebe.

Mr. DRESSER'S PUBLICATIONS.

NOTE.—John Wheldon & Co. hold the entire stock of these works.
Special terms quoted to the trade.

Dresser (H. E.). A History of the Birds of Europe, including all the species inhabiting the Western Palæarctic Region, with 633 beautifully executed hand-coloured plates by Joseph Wolf, J. G. Keulemans and E. Neale, also the SUPPLEMENT, with 89 additional coloured plates, together 9 vols, roy. 4to., orig. pts. £60 net.

1871—96

The stock of this great and invaluable, as well as most beautiful, work is now nearly exhausted.

—Do., Supplement only, with 89 additional coloured plates, in 9 pts., roy. 4to (only a few copies for sale). £9 9s. net. 1895-96

A COMPANION WORK TO THE "BIRDS OF EUROPE."

Dresser (H. E.). Eggs of the Birds of Europe, including all the species inhabiting the Western Palæarctic Area, 2 vols. complete in 24 orig. parts, 4to, with 106 coloured plates of figs., £12 12s. net.

—Do., the 24 parts, bound in 2 vols, 4to, new half morocco, gilt tops, £14 net. 1910

This work forms a necessary complement to the Birds of Europe, and is uniform in size with it. The 106 coloured plates contain accurate figures of nearly 2,000 eggs. The Plates have all been executed by the three-colour photographic process direct from the eggs without the intervention of an artist, thereby securing the utmost exactness in reproduction of markings, etc. In addition to the coloured figures of eggs a large number of illustrations of the nests and eggs *in situ* are given in the text.

Mr. Dresser had the practical assistance in the preparation of the work of the Rev. F. C. R. Jourdain, the late Prof. Newton, and Howard Saunders, Mr. A. H. Evans, Mr. S. A. Buturlin, and Mr. F. W. Waterhouse.

The author's collection of eggs, as well as his library, have lately been deposited in the Museum of Manchester University, and these volumes are of especial interest as forming a record of so valuable a collection.

Dresser (H. E.). A Manual of Palæarctic Birds, in 2 parts, roy. 8vo, special thin paper edition adapted for travellers and field naturalists, 30s. net. 1902—3

—Do., ordinary thick paper edition, 2 pts., roy. 8vo, 25s. net.

This work, especially adapted to meet the requirements of field naturalists and travellers, is published in two parts, which may be bound in one volume if preferred; it contains nearly 1,000 pages of letter press, and two plates by the late Mr. Joseph Wolf. It treats of the birds found throughout Europe and Asia north of the Himalayas, including Corea and Japan: together more than 1,200 species and subspecies, of each of which the English and scientific names are given, with a careful selection of the principal references, the vernacular names in different languages, a concise description of the different stages of plumage, the distribution and habits, as well as a description of the nest and eggs if known.

Dresser (H. E.). A Monograph of the Meropidæ, or Family of Bee-eaters, with 34 finely hand-coloured plates, imp. 4to, in parts (pub. £5 5s. net.), £4 10s. 1884—6

Dresser (H. E.). A Monograph of the Coraciidæ, or Family of the Rollers, with 27 finely hand-coloured plates, imp. 4to, cloth (pub. £5 net). £4 10s. 1893

The above two beautiful monographs of striking and interesting groups of birds should be in every ornithological library.

London: JOHN WHELDON & Co., 38, Great Queen Street, Kingsway, W.C.


Part. II. Containing 4 Hand-Coloured Plates. 12s. net.

ILLUSTRATIONS TO
THE BIRDS
OF
SOUTH AMERICA.
BY
H. GRÖNVOLD.

*A Series of original and authoritative plates,
illustrating typical species, intended to accompany
"The Birds of South America," Vol. I. (List),
by LORD BRABOURNE and CHARLES CHUBB,
issued in 1913.*

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.

May 1916



NOTE.

The further delays in the publication of Vol. 2. of this work occasioned by the intervention of the war and the death of the late Lord Brabourne at the front have made it impossible to complete the Text for vol. 2. The publishers however feel that the fine series of plates executed by Mr. Grönvold for the work will possess a sufficient value to the subscribers to merit their publication without any further text than is to be found in Vol. I. already issued (21s net). A first series of 19 plates is therefore offered herewith. A further series, including also the missing Nos. in the present series, are already printed or on the stones and it is expected will be ready very shortly. Only 200 sets of each part will be issued.

October, 1915.




Cumana jacutinga.
Spix's White-headed Guan.



1. *Greycisus viridis*. 2. *Pardirallus rufirhynchus*.
Cayenne Crake. Black Rail.



Aramides ypecaha.
Ypecaha Wood-Rail.



Dendrocygna viduata.
White-faced Tree-Duck.

Mr. DRESSER'S PUBLICATIONS.

NOTE.—John Wheldon & Co. hold the entire stock of these works.
Special terms quoted to the trade.

Dresser (H. E.). A History of the Birds of Europe, including all the species inhabiting the Western Palæarctic Region, with 633 beautifully executed hand-coloured plates by Joseph Wolf, J. G. Keulemans, and E. Neale, also the SUPPLEMENT, with 89 additional coloured plates, together 9 vols, roy. 4to., orig. pts. £60 net.

1871—96

The stock of this great and invaluable, as well as most beautiful, work is now nearly exhausted.

—Do., Supplement only, with 89 additional coloured plates, in 9 pts., roy. 4to (only a few copies for sale). £9 9s. net. 1895-96

A COMPANION WORK TO THE "BIRDS OF EUROPE."

Dresser (H. E.). Eggs of the Birds of Europe, including all the species inhabiting the Western Palæarctic Area, 2 vols, complete in 24 orig. parts, 4to, with 106 coloured plates of figs., £12 12s. net.

—Do., the 24 parts, bound in 2 vols, 4to, new half morocco, gilt tops, £14 net. 1910

This work forms a necessary complement to the Birds of Europe, and is uniform in size with it. The 106 coloured plates contain accurate figures of nearly 2,000 eggs. The Plates have all been executed by the three-colour photographic process direct from the eggs without the intervention of an artist, thereby securing the utmost exactness in reproduction of markings, etc. In addition to the coloured figures of eggs a large number of illustrations of the nests and eggs *in situ* are given in the text.

Mr. Dresser had the practical assistance in the preparation of the work of the Rev. F. C. R. Jourdain, the late Prof. Newton, and Howard Saunders, Mr. A. H. Evans, Mr. S. A. Buturlin, and Mr. F. W. Waterhouse.

The author's collection of eggs, as well as his library, have lately been deposited in the Museum of Manchester University, and these volumes are of especial interest as forming a record of so valuable a collection.

Dresser (H. E.). A Manual of Palæarctic Birds, in 2 parts, roy. 8vo, special thin paper edition adapted for travellers and field naturalists, 30s. net. 1902—3

—Do., ordinary thick paper edition, 2 pts., roy. 8vo, 25s. net.

This work, especially adapted to meet the requirements of field naturalists and travellers, is published in two parts, which may be bound in one volume if preferred; it contains nearly 1,000 pages of letter press, and two plates by the late Mr. Joseph Wolf. It treats of the birds found throughout Europe and Asia north of the Himalayas, including Corea and Japan: together more than 1,200 species and subspecies, of each of which the English and scientific names are given; with a careful selection of the principal references, the vernacular names in different languages, a concise description of the different stages of plumage, the distribution and habits, as well as a description of the nest and eggs if known.

Dresser (H. E.). A Monograph of the Meropidæ, or Family of Bee-eaters, with 34 finely hand-coloured plates, imp. 4to, in parts (pub. £5 5s. net.), £4 10s. 1884—6

Dresser (H. E.). A Monograph of the Coraciidæ, or Family of the Rollers, with 27 finely hand-coloured plates, imp. 4to, cloth (pub. £5 net), £4 10s. 1893

The above two beautiful monographs of striking and interesting groups of birds should be in every ornithological library.

London: JOHN WHELDON & Co., 38, Great Queen Street, Kingsway, W.C.

Part. **III** Containing **4** Hand-Coloured Plates. **12s.** net.

ILLUSTRATIONS TO
THE BIRDS
OF
SOUTH AMERICA.
BY
H. GRÖNVOLD.

*A Series of original and authoritative plates,
illustrating typical species, intended to accompany
"The Birds of South America," Vol. I. (List),
by LORD BRABOURNE and CHARLES CHUBB,
issued in 1913.*

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.

July 1916



NOTE.

The further delays in the publication of Vol. 2. of this work occasioned by the intervention of the war and the death of the late Lord Brabourne at the front have made it impossible to complete the Text for vol. 2. The publishers, however, feel that the fine series of plates executed by Mr. Grönvold for the work will possess a sufficient value to the subscribers to merit their publication without any further text than is to be found in Vol. I. already issued (21s net). A first series of 19 plates is therefore offered herewith. A further series, including also the missing Nos. in the present series, are already printed or on the stones and it is expected will be ready very shortly. Only 200 sets of each part will be issued.

October, 1915.



1. *Columba albilinea*.

White-naped Pigeon

2. *Geotrygon bourcierii*.

Bourcier's Ground-Dove



1. *Thinocorus orbignyianus*, ♂ et ♀. 2. *Thinocorus rumicivorus*, ♂ et ♀.
D'Orbigny's Seed-Snipe. Common Seed-Snipe.



1. *Psophia ochroptera*.
Uchre-winged Trumpeter.

2. *Psophia viridis*.
Green-winged Trumpeter



1. *Chloephaga rubidiceps*. 2. *Chloephaga poliocephala*. 3. *Chloephaga melanoptera*.
Falkland Island Goose. Ashy-headed Goose. Andean Goose.

Mr. DRESSER'S PUBLICATIONS.

NOTE.—John Wheldon & Co. hold the entire stock of these works.
Special terms quoted to the trade.

Dresser (H. E.). A History of the Birds of Europe, including all the species inhabiting the Western Palæarctic Region, with 633 beautifully executed hand-coloured plates by Joseph Wolf, J. G. Keulemans and E. Neale, also the SUPPLEMENT, with 89 additional coloured plates, together 9 vols, roy. 4to., orig. pts. £60 net.

1871—96

The stock of this great and invaluable, as well as most beautiful, work is now nearly exhausted.

—Do., Supplement only, with 89 additional coloured plates, in 9 pts., roy, 4to (only a few copies for sale). £9 9s. net. 1895-96

A COMPANION WORK TO THE "BIRDS OF EUROPE."

Dresser (H. E.). Eggs of the Birds of Europe, including all the species inhabiting the Western Palæarctic Area, 2 vols, complete in 24 orig. parts, 4to. with 106 coloured plates of figs., £12 12s. net.

—Do., the 24 parts, bound in 2 vols, 4to, new half morocco, gilt tops, £14 net. 1910

This work forms a necessary complement to the Birds of Europe, and is uniform in size with it. The 106 coloured plates contain accurate figures of nearly 2,000 eggs. The Plates have all been executed by the three-colour photographic process direct from the eggs without the intervention of an artist, thereby securing the utmost exactness in reproduction of markings, etc. In addition to the coloured figures of eggs a large number of illustrations of the nests and eggs *in situ* are given in the text.

Mr. Dresser had the practical assistance in the preparation of the work of the Rev. F. C. R. Jourdain, the late Prof. Newton, and Howard Saunders, Mr. A. H. Evans, Mr. S. A. Buturlin, and Mr. F. W. Waterhouse.

The author's collection of eggs, as well as his library, have lately been deposited in the Museum of Manchester University, and these volumes are of especial interest as forming a record of so valuable a collection.

Dresser (H. E.). A Manual of Palæarctic Birds, in 2 parts, roy. 8vo, special thin paper edition adapted for travellers and field naturalists, 30s. net. 1902—3

—Do., ordinary thick paper edition, 2 pts., roy. 8vo, 25s. net.

This work, especially adapted to meet the requirements of field naturalists and travellers, is published in two parts, which may be bound in one volume if preferred: it contains nearly 1,000 pages of letter press, and two plates by the late Mr. Joseph Wolf. It treats of the birds found throughout Europe and Asia north of the Himalayas, including Corea and Japan: together more than 1,200 species and subspecies, of each of which the English and scientific names are given, with a careful selection of the principal references, the vernacular names in different languages, a concise description of the different stages of plumage, the distribution and habits, as well as a description of the nest and eggs if known.

Dresser (H. E.). A Monograph of the Meropidæ, or Family of Bee-eaters, with 34 finely hand-coloured plates, imp. 4to, in parts (pub. £5 5s. net.), £4 10s. 1884—6

Dresser (H. E.). A Monograph of the Coraciidæ, or Family of the Rollers, with 27 finely hand-coloured plates, imp. 4to, cloth (pub. £5 net). £4 10s. 1893

The above two beautiful monographs of striking and interesting groups of birds should be in every ornithological library.

London: JOHN WHELDON & Co., 38, Great Queen Street, Kingsway, W.C.

Part. IV Containing 4 Hand-Coloured Plates. 12s. net.

ILLUSTRATIONS TO
THE BIRDS
OF
SOUTH AMERICA.
BY
H. GRÖNVOLD.

*A Series of original and authoritative plates,
illustrating typical species, intended to accompany
"The Birds of South America," Vol. I. (List),
by LORD BRABOURNE and CHARLES CHUBB,
issued in 1913.*

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.

Sept. 1916



NOTE.

The further delays in the publication of Vol. 2. of this work occasioned by the intervention of the war and the death of the late Lord Brabourne at the front have made it impossible to complete the Text for vol. 2. The publishers however feel that the fine series of plates executed by Mr. Grönvold for the work will possess a sufficient value to the subscribers to merit their publication without any further text than is to be found in Vol. I. already issued (21s *net*). A first series of 19 plates is therefore offered herewith. A further series, including also the missing Nos. in the present series, are already printed or on the stones and it is expected will be ready very shortly. Only 200 sets of each part will be issued.

October, 1915.

T



Columba araucana ♂.
Chilian Pigeon.



Aramides chiricote
Azara's Wood Rail



Larus maculipennis.
Spotted-winged Gull.

Larus cirrhocephalus.
Grey-headed Gull.



Hematopus durnfordi.
Durnford's Oyster-Catcher.

Mr. DRESSER'S PUBLICATIONS.

NOTE.—John Wheldon & Co. hold the entire stock of these works.
Special terms quoted to the trade.

Dresser (H. E.). A History of the Birds of Europe, including all the species inhabiting the Western Palæarctic Region, *with 633 beautifully executed hand-coloured plates by Joseph Wolf, J. G. Keulemans and E. Neale*, also the SUPPLEMENT, *with 89 additional coloured plates*, together 9 vols, roy. 4to., orig. pts. £60 net.

1871—96

The stock of this great and invaluable, as well as most beautiful, work is now nearly exhausted.

—Do., Supplement only, *with 89 additional coloured plates*, in 9 pts., roy. 4to (only a few copies for sale). £9 9s. net. 1895-96

A COMPANION WORK TO THE "BIRDS OF EUROPE."

Dresser (H. E.). Eggs of the Birds of Europe, including all the species inhabiting the Western Palæarctic Area, 2 vols, complete in 24 orig. parts, 4to. *with 106 coloured plates of figs.* £12 12s. net.

—Do., the 24 parts, bound in 2 vols, 4to, *new half morocco, gilt tops*, £14 net. 1910

This work forms a necessary complement to the Birds of Europe, and is uniform in size with it. The 106 coloured plates contain accurate figures of nearly 2,000 eggs. The Plates have all been executed by the three-colour photographic process direct from the eggs without the intervention of an artist, thereby securing the utmost exactness in reproduction of markings, etc. In addition to the coloured figures of eggs a large number of illustrations of the nests and eggs *in situ* are given in the text.

Mr. Dresser had the practical assistance in the preparation of the work of the Rev. F. C. R. Jourdain, the late Prof. Newton, and Howard Saunders, Mr. A. H. Evans, Mr. S. A. Buturlin, and Mr. F. W. Waterhouse.

The author's collection of eggs, as well as his library, have lately been deposited in the Museum of Manchester University, and these volumes are of especial interest as forming a record of so valuable a collection.

Dresser (H. E.). A Manual of Palæarctic Birds, in 2 parts, roy. 8vo, special thin paper edition adapted for travellers and field naturalists, 30s. net. 1902—3

—Do., ordinary thick paper edition, 2 pts., roy. 8vo, 25s. net.

This work, especially adapted to meet the requirements of field naturalists and travellers, is published in two parts, which may be bound in one volume if preferred; it contains nearly 1,000 pages of letter press, and two plates by the late Mr. Joseph Wolf. It treats of the birds found throughout Europe and Asia north of the Himalayas, including Corea and Japan; together more than 1,200 species and subspecies, of each of which the English and scientific names are given, with a careful selection of the principal references, the vernacular names in different languages, a concise description of the different stages of plumage, the distribution and habits, as well as a description of the nest and eggs if known.

Dresser (H. E.). A Monograph of the Meropidæ, or Family of Bee-eaters, *with 34 finely hand-coloured plates*, imp. 4to, in parts (pub. £5 5s. net.), £4 10s. 1884—6

Dresser (H. E.). A Monograph of the Coraciidæ, or Family of the Rollers, *with 27 finely hand-coloured plates*, imp. 4to, *cloth* (pub. £5 net). £4 10s. 1893

The above two beautiful monographs of striking and interesting groups of birds should be in every ornithological library.

London: JOHN WHELDON & Co., 38, Great Queen Street, Kingsway, W.C.

Part. V. Containing 4 Hand-Coloured Plates. 12s. net.

ILLUSTRATIONS TO
THE BIRDS
OF
SOUTH AMERICA.
BY
H. GRÖNVOLD.

*A Series of original and authoritative plates,
illustrating typical species, intended to accompany
"The Birds of South America," Vol. I. (List),
by LORD BRABOURNE and CHARLES CHUBB,
issued in 1913.*

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.

Oct. 1916



NOTE.

The further delays in the publication of Vol. 2. of this work occasioned by the intervention of the war and the death of the late Lord Brabourne at the front have made it impossible to complete the Text for vol. 2. The publishers however feel that the fine series of plates executed by Mr. Grönvold for the work will possess a sufficient value to the subscribers to merit their publication without any further text than is to be found in Vol. I. already issued (21s *net*). A first series of 19 plates is therefore offered herewith. A further series, including also the missing Nos. in the present series, are already printed or on the stones and it is expected will be ready very shortly. Only 200 sets of each part will be issued.

October, 1915.



1. *Belonopteris chilensis*. 2. *Belonopteris cayennensis*. 3. *Belonopteris griseus*.
Chilian Lapwing. Cayenne Lapwing. Argentine Lapwing.



1. *Charadrius falklandicus*. 2. *Charadrius occidentalis*
Falkland Island Plover. Western Plover.



Gallinago gigantea
Giant Snipe.



Mareca sibilatrix.
Chiloé Wigeon.

Mr. DRESSER'S PUBLICATIONS.

NOTE.—John Wheldon & Co. hold the entire stock of these works.
Special terms quoted to the trade.

Dresser (H. E.). A History of the Birds of Europe, including all the species inhabiting the Western Palæarctic Region, *with 633 beautifully executed hand-coloured plates by Joseph Wolf, J. G. Keulemans and E. Neale*, also the SUPPLEMENT, *with 89 additional coloured plates*, together 9 vols, roy. 4to., orig. pts. £60 net. 1871—96

The stock of this great and invaluable, as well as most beautiful, work is now nearly exhausted.

—Do., Supplement only, *with 89 additional coloured plates*, in 9 pts., roy. 4to (only a few copies for sale). £9 9s. net. 1895-96

A COMPANION WORK TO THE "BIRDS OF EUROPE."

Dresser (H. E.). Eggs of the Birds of Europe, including all the species inhabiting the Western Palæarctic Area, 2 vols. complete in 24 orig. parts, 4to. *with 106 coloured plates of figs.*, £12 12s. net.

—Do., the 24 parts, bound in 2 vols; 4to, *new half morocco, gilt tops*, £14 net. 1910

This work forms a necessary complement to the Birds of Europe, and is uniform in size with it. The 106 coloured plates contain accurate figures of nearly 2,000 eggs. The Plates have all been executed by the three-colour photographic process direct from the eggs without the intervention of an artist, thereby securing the utmost exactness in reproduction of markings, etc. In addition to the coloured figures of eggs a large number of illustrations of the nests and eggs *in situ* are given in the text.

Mr. Dresser had the practical assistance in the preparation of the work of the Rev. F. C. R. Jourdain, the late Prof. Newton, and Howard Saunders, Mr. A. H. Evans, Mr. S. A. Butorlin, and Mr. F. W. Waterhouse.

The author's collection of eggs, as well as his library, have lately been deposited in the Museum of Manchester University, and these volumes are of especial interest as forming a record of so valuable a collection.

Dresser (H. E.). A Manual of Palæarctic Birds, in 2 parts, roy. 8vo, special thin paper edition adapted for travellers and field naturalists, 30s. net. 1902—3

—Do., ordinary thick paper edition, 2 pts., roy. 8vo, 25s. net.

This work, especially adapted to meet the requirements of field naturalists and travellers, is published in two parts, which may be bound in one volume if preferred; it contains nearly 1,000 pages of letter press, and two plates by the late Mr. Joseph Wolf. It treats of the birds found throughout Europe and Asia north of the Himalayas, including Corea and Japan; together more than 1,200 species and subspecies, of each of which the English and scientific names are given, with a careful selection of the principal references, the vernacular names in different languages, a concise description of the different stages of plumage, the distribution and habits, as well as a description of the nest and eggs if known.

Dresser (H. E.). A Monograph of the *Meropidæ*, or Family of Bee-eaters, *with 34 finely hand-coloured plates*, imp. 4to, in parts (pub. £5 5s. net.), £4 10s. 1884—6

Dresser (H. E.). A Monograph of the *Coraciidæ*, or Family of the Rollers, *with 27 finely hand-coloured plates*, imp. 4to, cloth (pub. £5 net.), £4 10s. 1893

The above two beautiful monographs of striking and interesting groups of birds should be in every ornithological library.


London: JOHN WHELDON & Co., 38, Great Queen Street, Kingsway, W.C.

Part. VI, Containing 3 Hand-Coloured Plates. 12s. net.

ILLUSTRATIONS TO
THE BIRDS
OF
SOUTH AMERICA.
BY
H. GRÖNVOLD.

*A Series of original and authoritative plates,
illustrating typical species, intended to accompany
"The Birds of South America," Vol. I. (List),
by LORD BRABOURNE and CHARLES CHUBB,
issued in 1913.*

LONDON:
JOHN WHELDON & CO.,
38, GREAT QUEEN STREET, KINGSWAY, W.C.



NOTE.

The further delays in the publication of Vol. 2. of this work occasioned by the intervention of the war and the death of the late Lord Brabourne at the front have made it impossible to complete the Text for vol. 2. The publishers however feel that the fine series of plates executed by Mr. Grönvold for the work will possess a sufficient value to the subscribers to merit their publication without any further text than is to be found in Vol. I. already issued (21s *net*). A first series of 19 plates is therefore offered herewith. A further series, including also the missing Nos. in the present series, are already printed or on the stones and it is expected will be ready very shortly. Only 200 sets of each part will be issued.

October, 1915.



Burhinus bistratus.
Double-striped Thick knee.



Ajaia ajaja, juv.
Roseate Spoonbill (young).



Ajaia ajaja.
Roseate Spoonbill.

H. Grönvold

Mr. DRESSER'S PUBLICATIONS.

NOTE.—John Wheldon & Co. hold the entire stock of these works.
Special terms quoted to the trade.

Dresser (H. E.). A History of the Birds of Europe, including all the species inhabiting the Western Palæarctic Region, with 633 beautifully executed hand-coloured plates by Joseph Wolf, J. G. Keulemans and E. Neale, also the SUPPLEMENT, with 89 additional coloured plates, together 9 vols, roy. 4to., orig. pts. £60 net.

1871—96

The stock of this great and invaluable, as well as most beautiful, work is now nearly exhausted.

—Do., Supplement only, with 89 additional coloured plates, in 9 pts., roy. 4to (only a few copies for sale). £9 9s. net. 1895-96

A COMPANION WORK TO THE "BIRDS OF EUROPE."

Dresser (H. E.). Eggs of the Birds of Europe, including all the species inhabiting the Western Palæarctic Area, 2 vols, complete in 24 orig. parts, 4to. with 106 coloured plates of figs., £12 12s. net.

—Do., the 24 parts, bound in 2 vols, 4to, new half morocco, gilt tops, £14 net. 1910

This work forms a necessary complement to the Birds of Europe, and is uniform in size with it. The 106 coloured plates contain accurate figures of nearly 2,000 eggs. The Plates have all been executed by the three-colour photographic process direct from the eggs without the intervention of an artist, thereby securing the utmost exactness in reproduction of markings, etc. In addition to the coloured figures of eggs a large number of illustrations of the nests and eggs *in situ* are given in the text.

Mr. Dresser had the practical assistance in the preparation of the work of the Rev. F. C. R. Jourdain, the late Prof. Newton, and Howard Saunders, Mr. A. H. Evans, Mr. S. A. Buturlin, and Mr. F. W. Waterhouse.

The author's collection of eggs, as well as his library, have lately been deposited in the Museum of Manchester University, and these volumes are of especial interest as forming a record of so valuable a collection.

Dresser (H. E.). A Manual of Palæarctic Birds, in 2 parts, roy. 8vo, special thin paper edition adapted for travellers and field naturalists, 30s. net. 1902—3

—Do., ordinary thick paper edition, 2 pts., roy. 8vo, 25s. net.

This work, especially adapted to meet the requirements of field naturalists and travellers, is published in two parts, which may be bound in one volume if preferred: it contains nearly 1,000 pages of letter press, and two plates by the late Mr. Joseph Wolf. It treats of the birds found throughout Europe and Asia north of the Himalayas, including Corea and Japan: together more than 1,200 species and subspecies, of each of which the English and scientific names are given, with a careful selection of the principal references, the vernacular names in different languages, a concise description of the different stages of plumage, the distribution and habits, as well as a description of the nest and eggs if known.

Dresser (H. E.). A Monograph of the Meropidæ, or Family of Bee-eaters, with 34 finely hand-coloured plates, imp. 4to, in parts (pub. £5 5s. net.), £4 10s. 1884—6

Dresser (H. E.). A Monograph of the Coraciidæ, or Family of the Rollers, with 27 finely hand-coloured plates, imp. 4to, cloth (pub. £5 net). £4 10s. 1893


The above two beautiful monographs of striking and interesting groups of birds should be in every ornithological library.

London: JOHN WHELDON & Co., 38, Great Queen Street, Kingsway, W.C.





SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00340397 9

nhbird qQL689.A1B8X
v. 2 The birds of South America.